

Kawasaki Ninja ZX-6R

Product Name: **Track Day Link Pipe (SS)**

Product code: **L-K6R13**

Approval: W/O

MSRP ex. VAT: 330,00 €



INFO

Designed to be installed in combination with the Racing Line (Carbon) S-K6R11-RC/1.

Developed for use on race tracks with stricter noise limitations (static noise level with noise insert: 96.9dB at 7,000rpm and static noise level without noise insert: 101.8dB at 7,000rpm).

Constructed from high-grade stainless steel, this Track Day Link Pipe offers power and torque gains across the whole rev range. When installed with the Racing Line (Carbon), power increased by 6.4kW (8.7hp) at 13,400rpm, and torque went up by 5.9Nm at 6,000rpm when compared with a Kawasaki Ninja ZX-6R equipped with a standard stock system and tested on the Akrapovič dyno. A deep and sporty sound is produced and the fitment is plug-and-play, with no mandatory remapping, although it is recommended.

Kawasaki Ninja ZX-6R

Product Name: **Track Day Link Pipe (SS)**

Product code: **L-K6R13**

Approval: W/O

TECHNICAL DATA

	UNIT	STOCK	AKRAPOVIČ	MAX GAIN
maximum power	kW	85.7 / 13200 rpm	91.8 / 13400 rpm	+ 6.4 / 13400 rpm
	HP (m)	116.5 / 13200 rpm	124.9 / 13400 rpm	+ 8.7 / 13400 rpm
	HP (i)	114.9 / 13200 rpm	123.1 / 13400 rpm	+ 8.6 / 13400 rpm
maximum torque	Nm	66.7 / 6000 rpm	69.5 / 11000 rpm	+ 5.9 / 6000 rpm
	lb-ft	49.2 / 11100 rpm	51.3 / 11000 rpm	+ 4.4 / 6000 rpm
weight	kg			
	lb			
	%			
installation time	min		25	

Kawasaki Ninja ZX-6R

Product Name: **Track Day Link Pipe (SS)**

Product code: **L-K6R13**

Approval: W/O

MANDATORY PRODUCTS

Product name: **Racing Line (Carbon)**

Product code: **S-K6R11-RC/1**

MSRP ex. VAT: 1.595,00 €

OPTIONAL PRODUCTS

No optional products.